





210 gr/m<sup>2</sup>, 100% AriPam,  
Uv protective,  
Pique Knit Fabric



Sample



**Ari Pike - 5928  
Grey**

**Ari Pike - 5929  
Navy**


The technical data on this guide is given for information and correct at the time of design. It can be changed without prior notice.

## Description

100% AriPam pique knit fabric. It is used as a lining inside of the shoes.  
Ari Pike can also be used on promotional t-shirts.

## Technical Parameters

Name	Values	Standards
Fiber	100% AriPam	EN ISO 2076
Yarn	30/1 Ne	EN ISO 2060
Weight	210 ±10 gr/m <sup>2</sup>	EN ISO 3081
Width	1700 ±20 mm	EN ISO 3932
Bursting Strength	> 1400 kPa(kN/m <sup>2</sup> )	EN ISO 13938-1
Dimensional Change	-5%<Length<+5%;-5%<Width<+5%	EN ISO 5077
Rubbing Fastness	4-5	EN ISO 105 X12
Perspiration Fastness	4-5	EN ISO 105 E04
Washing Fastness	4-5	EN ISO 105 C06
Dry Cleaning Fastness	4-5	EN ISO 105 D01
Hypochlorite Fastness	4-5	EN ISO 105 N01
Hot Press Fastness	4-5	EN ISO 105 X11
pH	4,0 - 7,5	EN ISO 3071
Azo Test	No Azo Colorants.	EN ISO 14362-1
Application	Lining for Shoes	
Quality Management	Done	ISO 9001
Uv Protection	Done	EN ISO 13758