




140 gr/m<sup>2</sup>, 100% Polyester,  
1/1 Plain Woven Fabric



Sample





## Description

ArSotina, 100% Polyester sotina fabric for garment lining. It can be used as a lining inside of the shoes. ArSotina is a durable lining fabric for more hard conditions.

## Technical Parameters

Name	Values	Standards
Fiber	100% Polyester	EN ISO 2076
Yarn	75 Denier	EN ISO 2060
Weight	140 ±10 gr/m <sup>2</sup>	EN ISO 3081
Width	1500 ±20 mm	EN ISO 3932
Tensile Strength	Warp>800N; Weft>800N	EN ISO 13934-1
Tear Strength	Warp>30N; Weft>25N	EN ISO 13937-2
Dimensional Change	-3%<Length<+3%;-3%<Width<+3%	EN ISO 5077
Rubbing Fastness	4-5	EN ISO 105 X12
Perspiration Fastness	4-5	EN ISO 105 E04
Washing Fastness	4-5	EN ISO 105 C06
Dry Cleaning Fastness	4-5	EN ISO 105 D01
Hypochlorite Fastness	4-5	EN ISO 105 N01
Hot Press Fastness	4-5	EN ISO 105 X11
pH	4,0 - 7,5	EN ISO 3071
Azo Test	No Azo Colorants.	EN ISO 14362-1
Application	Lining	
Quality Management	Done	ISO 9001